

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:sssptasel1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 12	Match STN Content and Features to Your Information Needs, Quickly and Conveniently
NEWS	3	JAN 25	Annual Reload of MEDLINE database
NEWS	4	FEB 16	STN Express Maintenance Release, Version 8.4.2, Is Now Available for Download
NEWS	5	FEB 16	Derwent World Patents Index (DWPI) Revises Indexing of Author Abstracts
NEWS	6	FEB 16	New FASTA Display Formats Added to USGENE and PCTGEN
NEWS	7	FEB 16	INPADOCDB and INPAFAMDB Enriched with New Content and Features
NEWS	8	FEB 16	INSPEC Adding Its Own IPC codes and Author's E-mail Addresses
NEWS	9	APR 02	CAS Registry Number Crossover Limits Increased to 500,000 in Key STN Databases
NEWS	10	APR 02	PATDPAFULL: Application and priority number formats enhanced
NEWS	11	APR 02	DWPI: New display format ALLSTR available
NEWS	12	APR 02	New Thesaurus Added to Derwent Databases for Smooth Sailing through U.S. Patent Codes
NEWS	13	APR 02	EMBASE Adds Unique Records from MEDLINE, Expanding Coverage back to 1948
NEWS	14	APR 07	CA/CAPLUS CLASS Display Streamlined with Removal of Pre-IPC 8 Data Fields
NEWS	15	APR 07	50,000 World Traditional Medicine (WTM) Patents Now Available in CAPLUS
NEWS	16	APR 07	MEDLINE Coverage Is Extended Back to 1947

NEWS EXPRESS FEBRUARY 15 10 CURRENT WINDOWS VERSION IS V8.4.2,
AND CURRENT DISCOVER FILE IS DATED 15 JANUARY 2010.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 13:11:21 ON 24 MAY 2010

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.22

0.22

FILE 'CAPLUS' ENTERED AT 13:11:30 ON 24 MAY 2010

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2010 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 24 May 2010 VOL 152 ISS 22

FILE LAST UPDATED: 23 May 2010 (20100523/ED)

REVISED CLASS FIELDS (/NCL) LAST RELOADED: Apr 2010

USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Apr 2010

CAPLUS now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2010.



CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>

Uploading C:\Program Files\STNEXP\Queries\10568486c.str



```

chain nodes :
2 3 4 5 9 16 20
ring nodes :
1 6 7 8 10 11 12 13 14 15
chain bonds :
1-2 2-20 3-4 3-20 4-5 4-16 7-9 9-10
ring bonds :
1-6 1-8 6-7 7-8 10-11 10-15 11-12 12-13 13-14 14-15
exact/norm bonds :
1-2 1-6 1-8 3-4 3-20 4-5 4-16 6-7 7-8 7-9 9-10
exact bonds :
2-20
normalized bonds :
10-11 10-15 11-12 12-13 13-14 14-15

```

G1:O,S

```

Match level :
1:Atom 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:Atom 7:Atom 8:Atom 9:CLASS
10:Atom 11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:CLASS 20:CLASS

```


L1 STRUCTURE UPLOADED

=>

=> d

L1 HAS NO ANSWERS

L1 STR



G1 O,S

Structure attributes must be viewed using STN Express query preparation.

=> s l1

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...

Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

SAMPLE SEARCH INITIATED 13:11:49 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 22 TO ITERATE

100.0% PROCESSED 22 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 159 TO 721

PROJECTED ANSWERS: 1 TO 80

L2 1 SEA SSS SAM L1

L3 1 L2

=> s l1 ful

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...

Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 13:11:53 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 476 TO ITERATE

100.0% PROCESSED 476 ITERATIONS 30 ANSWERS
SEARCH TIME: 00.00.01

L4 30 SEA SSS FUL L1

L5 1 L4

=> fil caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.50	193.75

FILE 'CAPLUS' ENTERED AT 13:11:56 ON 24 MAY 2010
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2010 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 24 May 2010 VOL 152 ISS 22
FILE LAST UPDATED: 23 May 2010 (20100523/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Apr 2010
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Apr 2010

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2010.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 15

L6 1 L4


=> d ibib abs hitstr tot

L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN
ACCESSION NUMBER: 2005:260019 CAPLUS
DOCUMENT NUMBER: 142:336234
TITLE: Preparation of 1,3-disubstituted azetidine
derivatives
for use as CCR-3 receptor antagonists in the
treatment
of inflammatory and allergic diseases
INVENTOR(S): Le Grand, Darren Mark
PATENT ASSIGNEE(S): Novartis Ag, Switz.; Novartis Pharma GmbH
SOURCE: PCT Int. Appl., 84 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005026113	A1	20050324	WO 2004-EP10260	20040914
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, ME, MG, MK, MN, MW, MX, MY, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SV, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2004272275	A1	20050324	AU 2004-272275	20040914
AU 2004272275	B2	20090226		
CA 2534550	A1	20050324	CA 2004-2534550	20040914
EP 1663966	A1	20060607	EP 2004-765174	20040914
EP 1663966	B1	20070620		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK			
CN 1849302	A	20061018	CN 2004-80026204	20040914
BR 2004014416	A	20061114	BR 2004-14416	20040914
JP 2007505080	T	20070308	JP 2006-525789	20040914
AT 365155	T	20070715	AT 2004-765174	20040914
PT 1663966	E	20070926	PT 2004-765174	20040914
ES 2286664	T3	20071201	ES 2004-765174	20040914
MX 2006002870	A	20060605	MX 2006-2870	20060314
US 20070043013	A1	20070222	US 2006-568486	20060811
PRIORITY APPLN. INFO.:			GB 2003-21599	A 20030915
			GB 2003-21600	A 20030915
OTHER SOURCE(S):	CASREACT 142:336234; MARPAT 142:336234		WO 2004-EP10260	W 20040914
GI				


L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)

Absolute stereochemistry.




RN 848642-40-0 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidiny]-1-(hydroxymethyl)propyl]-N'-(5-ethyl-1,3,4-thiadiazol-2-yl)- (CA INDEX NAME)

Absolute stereochemistry.





RN 848642-41-1 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidiny]-1-(hydroxymethyl)propyl]-N'-(3-ethyl-1-methyl-1H-pyrazol-5-yl)- (CA INDEX NAME)

Absolute stereochemistry.



RN 848642-42-2 CAPLUS

L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)



AB Comps. of formula I and II [Ar = Ph optionally substituted by one or more substituents selected from halo, C1-C8-alkyl, cyano, nitro; X1 = S, S(O), S(O)2; X2 = C(O), O, CH2, S, S(O), S(O)2; m = 1, 2, 3, 4; R1 = H, C1-C8-alkyl optionally substituted; Q = C(Rb)(Rc) where Rb and Rc are independently C1-C8-alkyl or Rb and Rc together form a C3-C10-cycloalkyl; Y = O, S; R2 = H, C1-C8-alkyl, C3-C10-cycloalkyl; R3 = C1-C8-alkyl substituted by Ph, phenoxy, acyloxy, naphthyl, or R3 is C3-C10-cycloalkyl optionally having a benzo group, a heterocyclic group] were prepared and are useful for treating conditions that are mediated by CCR-3, for example an inflammatory or allergic condition, particularly an inflammatory or obstructive airways disease. E.g., 1-benzhydryl-3-(4-chlorophenylsulfanyl)azetidine was oxidized with MCPBA, and treated with 1-chloroethoxycarbonyl chloride to give 3-(4-chlorobenzenesulfinyl)azetidine. Reaction of the latter with [(S)-1-(tert-butylidiphenylsilylanyloxy)methyl]-3-iodopropyl]carbamic acid tert-Bu ester gave [(S)-1-(tert-butylidiphenylsilylanyloxy)methyl]-3-[3-(4-chlorophenylsulfanyl)azetidin-1-yl]propyl]carbamic acid tert-Bu ester. The latter was desilylated, then treated with TFA to give (S)-2-amino-4-[3-(4-chlorobenzenesulfinyl)azetidin-1-yl]butan-1-ol. Reaction of the latter with 3,5-dimethoxyphenyl isocyanate resulted in

1-[(S)-3-[3-(4-chlorobenzenesulfinyl)azetidin-1-yl]-1-hydroxymethylpropyl]-3-(3,5-dimethoxyphenyl)urea.

IT 848642-39-7P 848642-40-0P 848642-41-1P
848642-42-2P 848642-43-3P 848642-44-4P
848642-45-5P 848642-46-6P 848642-47-7P
848642-48-8P 848642-49-9P 848642-50-2P
848642-51-3P 848642-52-4P 848642-53-5P
848642-54-6P 848642-55-7P 848642-56-8P
848642-57-9P 848642-58-0P 848642-59-1P
848642-60-4P 848642-61-5P 848642-62-6P
848642-63-7P 848642-64-8P 848642-65-9P
848642-66-0P 848642-67-1P 848642-68-2P


RI: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of 1,3-disubstituted azetidine derivs. for use as CCR-3 receptor antagonists in the treatment of inflammatory and allergic diseases)

RN 848642-39-7 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidiny]-1-(hydroxymethyl)propyl]-N'-(3-cyclopropyl-1-methyl-1H-pyrazol-5-yl)- (CA INDEX NAME)

L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)


CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidiny]-1-(hydroxymethyl)propyl]-N'-(3-cyclopropyl-1-methyl-1H-pyrazol-5-yl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-43-3 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidiny]-1-(hydroxymethyl)propyl]-N'-(5-ethyl-1,3,4-thiadiazol-2-yl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-44-4 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidiny]-1-(hydroxymethyl)propyl]-N'-(3-ethyl-1-methyl-1H-pyrazol-5-yl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-45-5 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidiny]-1-(methoxymethyl)propyl]-N'-(3,5-dimethoxyphenyl)- (CA INDEX NAME)

L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)
Absolute stereochemistry.




RN 848642-46-6 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidinyl]-1-(methoxymethyl)propyl]-N'-(5-ethyl-1,3,4-thiadiazol-2-yl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-47-7 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidinyl]-1-(methoxymethyl)propyl]-N'-(3-ethyl-1-methyl-1H-pyrazol-5-yl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-48-8 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidinyl]-1-

L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)




RN 848642-52-4 CAPLUS
CN Urea, N-[(1R)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidinyl]-1-methylpropyl]-N'-(5-ethyl-1,3,4-thiadiazol-2-yl)- (CA INDEX NAME)

Absolute stereochemistry.



RN 848642-53-5 CAPLUS
CN Urea, N-[(1R)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidinyl]-1-methylpropyl]-N'-(3-ethyl-1-methyl-1H-pyrazol-5-yl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 848642-54-6 CAPLUS
CN Urea, N-[(1R)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidinyl]-1-methylpropyl]-N'-(3-cyclopropyl-1-methyl-1H-pyrazol-5-yl)- (CA INDEX NAME)


L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)
(methoxymethyl)propyl]-N'-(3-cyclopropyl-1-methyl-1H-pyrazol-5-yl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-49-9 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidinyl]-1-(methoxymethyl)propyl]-N'-(5-ethyl-3-isoxazolyl)- (CA INDEX NAME)

Absolute stereochemistry.



RN 848642-50-2 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidinyl]-1-(methoxymethyl)propyl]-N'-(3-ethyl-5-isoxazolyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 848642-51-3 CAPLUS
CN Urea, N-[(1R)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidinyl]-1-methylpropyl]-N'-(3,5-dimethoxyphenyl)- (CA INDEX NAME)


Absolute stereochemistry.

L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)
Absolute stereochemistry.




RN 848642-55-7 CAPLUS
CN Urea, N-[(1R)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidinyl]-1-methylpropyl]-N'-(5-ethyl-3-isoxazolyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-56-8 CAPLUS
CN Urea, N-[(1R)-3-[3-[(4-chlorophenyl)sulfinyl]-1-azetidinyl]-1-methylpropyl]-N'-(3-ethyl-5-isoxazolyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-57-9 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)thio]-1-azetidinyl]-1-(hydroxymethyl)propyl]-N'-(5-ethyl-1,3,4-thiadiazol-2-yl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-58-0 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)thio]-1-azetidinyl]-1-(hydroxymethyl)propyl]-N'-(3-ethyl-1-methyl-1H-pyrazol-5-yl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-59-1 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)thio]-1-azetidinyl]-1-(hydroxymethyl)propyl]-N'-(3-cyclopropyl-1-methyl-1H-pyrazol-5-yl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-60-4 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)thio]-1-azetidinyl]-1-(hydroxymethyl)propyl]-N'-(3,5-dimethoxyphenyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-64-8 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfonyl]-1-azetidinyl]-1-(hydroxymethyl)propyl]-N'-(3-ethyl-1-methyl-1H-pyrazol-5-yl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-65-9 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfonyl]-1-azetidinyl]-1-(hydroxymethyl)propyl]-N'-(3-cyclopropyl-1-methyl-1H-pyrazol-5-yl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-66-0 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfonyl]-1-azetidinyl]-1-(hydroxymethyl)propyl]-N'-(3,5-dimethoxyphenyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-61-5 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)thio]-1-azetidinyl]-1-(hydroxymethyl)propyl]-N'-(5-ethyl-3-isoxazolyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-62-6 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)thio]-1-azetidinyl]-1-(hydroxymethyl)propyl]-N'-(3-ethyl-5-isoxazolyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-63-7 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfonyl]-1-azetidinyl]-1-(hydroxymethyl)propyl]-N'-(5-ethyl-1,3,4-thiadiazol-2-yl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 848642-67-1 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfonyl]-1-azetidinyl]-1-(hydroxymethyl)propyl]-N'-(5-ethyl-3-isoxazolyl)- (CA INDEX NAME)

Absolute stereochemistry.



RN 848642-68-2 CAPLUS
CN Urea, N-[(1S)-3-[3-[(4-chlorophenyl)sulfonyl]-1-azetidinyl]-1-(hydroxymethyl)propyl]-N'-(3-ethyl-5-isoxazolyl)- (CA INDEX NAME)

Absolute stereochemistry.



OS.CITING REF COUNT: 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD
(2 CITINGS)
REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE
FORMAT

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

6.31

200.06

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-0.85

-0.85

STN INTERNATIONAL LOGOFF AT 13:12:23 ON 24 MAY 2010